



INDIAN STATISTICAL INSTITUTE

203 Barrackpore Trunk Road Kolkata 700108

Tender ID No.: CSSC/2019-20/022

Date: 05/03/2020

NOTICE INVITING TENDER

Tenders are invited from interested suppliers for procurement of the following:

Supply and Commissioning of Furniture at CSSC, 4th Floor, S. N. Bose Building

Serial No.	Item Description with specifications (in brief)	Qty
1	Table	2
2	Mid Back Chair	1
3	Three Seater Waiting Chair	3
4	Coffee Table	2
5	Modular Pantry Deck	1

[Detailed Specifications are attached in ANNEXURE-I]

ESTIMATED TENDER VALUE: Rs. 1,95,000/-

Last Date of Submission of Bid: 16/03/2020 (1:00 PM)

Delivery (including completion of installation, if any): Within 31st March 2020.

MSME Criteria:

An organization having MSME registration of Government of India will get benefit as per MSME relaxation rules.

ANNEXURE-I

Detailed Technical Specifications of the Furniture:

Sl. No.	Item Description
1	<p>Table:</p> <p>Dimensions: Main Desk: 1490-1510 x 740-760 x 720-730 mm; Pedestal: 350-360 x 550-560 x 660-680 mm Top Work Surface: Made of 18mm thick PLB. All the work surface edges should be duly sealed with 2mm thick PVC Edge banding. Under Structure: Modesty Panel made of 18mm thick PLB. Rectangular Frame: Fabricated Component in 1.2mm thick CRCA "D" Grade as per IS: 513. Finish: Epoxy polyester powder coated to thickness of 50 micron (+/-10) Leg: Fabricated Component in 38mm x 25mm x 1.2mm thick MS ERW Tube (IS: 7138) Finish: Epoxy polyester powder coated to thickness of 50 micron (+/-10). CPU Modesty: 0.8mm thick "D" Grade as per IS: 513 Finish: Epoxy polyester powder coated to thickness of 50 micron (+/-10) Leveler Glide for Leg: Nylon 6 & MS Bolt. Wire Management: Horizontal Wire Carrier: 0.7mm thick "D" Grade as per IS: 513. Finish: Epoxy polyester powder coated to thickness of 50 micron (+/-10) Vertical Wire Carrier: 0.7mm thick "D" Grade as per IS: 513 Finish: Epoxy polyester powder coated to thickness of 50 micron (+/-10); Pedestal: Drawer Configuration/ Product Size/ Styling: Box-Box-File= 350-360 x 550-560 x 640-660 mm enclosing including leveler. Construction & Materials: Welded Assembled Shell: 0.6mm thick CRCA as per IS: 513. Drawer Tray and Back: 0.5mm thick CRCA as per IS: 513 Drawer Front: 0.6mm thick CRCA as per IS: 513 Locking: - Cam Lock Leveler: Plastic M8 Leveler Mounted Below Body Shell. Handle: Injected Moulded Polypropylene. Finish: Epoxy polyester powder coated to thickness of 50 micron (+/-10).</p>
2	<p>Mid Back Chair:</p> <p>Back Size: 40-50 cm x 45-50 cm; Seat Size: 45-50 cm x 45-50 cm; High Resilience Polyurethane Foam. Tilt Mechanism, Spines & Spine Connector, Fixed Armrests & Pneumatic Height Adjustment. Pedestal Assembly with 5 No. Twin Wheel Castors and Frame Assembly (powder coated (DFT 40-60 microns) tubular frame is cantilever type).</p>
3	<p>Three Seater Waiting Chair:</p> <p>The cross beam should be made of powder-coated rectangular M.S. ERW tube having 75-85 x 35-45 x 2mm size, Leg and armrest must be Chrome Plated made of cold rolled steel with 1.2 mm thickness. Armrest & Leg should be assembled to the Cross Beam with bolting. Seat-Back Shell: 1.6 mm thick powder-coated perforated shell made from cold rolled M.S. Sheet. Side Bar made of Chrome plated solid steel 30 x 12 mm with fluting and plastic inserts.</p>
4	<p>Coffee Table:</p> <p>Table Leg: oval metal tube Thick 1.5 mm. Color: Silver Power Coating. Table Top materials & size: 1090-1110 x 590-610 x 8 mm; Color: Partial Black Tempered Glass; Table Bottom Materials & Size: 1090-1110 x 590-610 x 6 mm; Color: Full Black Tempered Glass; Finishing: Silver Powder Coating Frame and Legs</p>
5	<p>Modular Pantry Deck:</p> <p>Overall Size: 1500 x 750 x 900mm (+/- 20mm). The Top will be made of 17mm (+/- 2mm) thick Zet Black Granite & the understructure is made of 16mm thick BWP Grade ply as per IS: 710 standard with both side covered by min 0.6mm laminate (machine pressed) & back of the carcass is made of minimum 6mm thick BWP Grade ply as per IS:710 standard with both sides covered by minimum 0.6mm laminate pressed at special machine. Drawer Front & Shutter: Must be made of 18mm thick BWP Grade ply as per IS:710 with both sides covered by minimum 1mm laminate pressed at special machine with Profile Handle. Legs: All Legs must be made of polystyrene with a load carrying capacity of 450 kg each. Leg should be able take evenness of the floor. It should have minimum 50 mm adjustability. (Leg Height 100mm) The Skirting (100mm) of the carcass is made of PVC profiled skirting covered by aluminium sheets. Carcass Top: Lower part of the top 12 mm thick Ply as per is standard & Upper Part 17 mm Thick Zet Black Granite (+2mm) complete cutting, moulding, polishing and finishing.</p>

Time Schedule for Tender	
Date of Uploading of NIT	05/03/2020
Download of Documents Starts	05/03/2020
Documents Download Ends	16/03/2020
Online Bid Submission Starts	06/03/2020
Online Bid Submission Ends	16/03/2020 (1:00 PM)
Date of Opening of Technical Bid	16/03/2020 (3:00 PM)
Date of Opening of Financial Proposal	16/03/2020 (5:00 PM)

Your Quotation shall comprise of two parts: (a) **Technical Bid** (b) **Price Bid**

Both the parts must be submitted separately in two envelopes labeled clearly as “Technical Bid” and “Price Bid” respectively, and these shall be put in a third envelope. All three envelopes shall be super scribed with the following:

Tender Enquiry No.: CSSC/2019-20/022 Dated: 05/03/2020 Due on: 16/03/2020 (1:00 PM)

Quotation must be sent in sealed cover either by post or hand delivery to the following address within the deadline mentioned above:

The Head
Computer and Statistical Service Centre
Indian Statistical Institute
203, B.T. Road
Kolkata 700108.

The quotation will be considered as cancelled if the documents required for the two bids are not submitted in the correct envelopes.

In case the bidder is not a registered supplier of ISI, copies of the following documents must be attached with the Technical bid:

- i) GST Registration Certificate
- ii) Trade License
- iii) Current Bank Solvency Certificate not less than estimated tender value issued within one year from the date of tender

An UNDERTAKING about the unconditional acceptance by the bidder of Terms and Conditions as stipulated in the attached document is to be submitted along with the technical bid, in the specified format.

Bids not submitted in the specified format or not accompanied by the requisite undertaking are liable to be rejected.

General Terms and Conditions as well as formats for submission of bids are mentioned in the attached document.



(Deba Prasad Mandal)

Head
Computer and Statistical Service Centre
Indian Statistical Institute
Kolkata.

Name of the Contact Person: Deba Prasad Mandal

Contact No.: 033-2575-2453

e-mail id: csscservice@isical.ac.in

GENERAL TERMS AND CONDITIONS RELATED TO SUBMISSION OF BIDS

1. Penalty for suppression/ distortion of facts

Submission of false document(s) by vendor is strictly prohibited and may be liable for civil and criminal action.

2. Validity of the tender

Offer must remain valid for 30 days from the date of opening of the price bid.

3. Payment terms

All rates should be quoted in INR only. Offer in any other currency will be rejected. Bids containing clauses like "Rates are subject to exchange rate fluctuations" will be rejected.

Payment will be made after satisfactory receipt of goods and installation, commissioning, testing and completion of all contractual obligations. Partial payment against partial supply within scheduled delivery period will not be admissible.

4. Tender Submission

Suitable arrangements for receipt of the sealed tenders during the submission period through conspicuously located tender boxes in the procuring unit/section should be ensured. In case of bulky tender documents, there should be provision in NIT for submission of bids to designated officials by hand.

5. Opening and Evaluation of Tender

A. Technical Bid

- i) Technical bid will be opened by the designated tender opener (generally, the head or his/her representative) of the procuring unit or section.
- ii) Cutting/overwriting/insertions must be accounted for by marking and putting initials.
- iii) During technical evaluation, the tender opener, on behalf of the procuring unit or section may summon bidders and seek clarification/ information or additional documents or original hard copy of any of the documents already submitted. If these are not produced within the stipulated period, the bid may be liable for rejection.
- iv) The procuring unit/section will summarize the evaluation of technical bids in the specified format (<https://www.isical.ac.in/~cpc/nit.php>) and will send the summary sheet along with all technical bids to CSSC for further processing.

B. Financial Bid

- i) Financial bid of technically eligible vendors will be opened in a meeting (date and time will be intimated to the vendors well in advance) of the Central Purchase Committee.
- ii) At most two duly-authorized representatives of each technically eligible bidder may remain present during the opening of the price bid.
- iii) Cutting/overwriting/insertions must be accounted for by marking and putting initials.
- iv) For CVC rules regarding negotiation with L1, please refer to [circular number 4/3/07 \(OM No. 005/CRD/012\) Dated the 3rd March, 2007](#).

6. Way Bill/ Road Permit

In case of requirement of Way Bill at the time of delivery, the institute will arrange for obtaining the necessary Way Bill/ Road Permit in the name of the vendor awarded this tender. However, the prescribed entry tax shall be borne by the vendor.

It is to be noted that the Indian Statistical Institute has Customs Duty Exemption Certificate and reduced GST rates, and the Vendor should make appropriate use of them.

7. Liquidated Damage Clause

The schedules of delivery and installation, commissioning and testing as per Purchase Order are to be strictly adhered to. In case there is delay either in the delivery or successful completion, the vendor shall be liable to pay liquidated damages @ 0.5% of the total value of the purchase order per week or part of a week during which the delivery of such goods is delayed. Where delivery thereof is accepted after expiry of the period mentioned in purchase order the total damages so claimed shall not exceed 5% of the total contract price. Any variation in statutory levies and taxes within the contractual delivery period shall be borne by the Indian Statistical Institute. Beyond the delivery period, the upward variation of levies and taxes shall be borne by the vendor.

8. Arbitration Clause

In the event of any dispute or difference arising out of or in connection with the tender, the same shall be settled amicably by mutual consultation. If such resolution is not possible then the unresolved disputes or differences shall be referred to Arbitration as per the *Indian Arbitration and Conciliation Act, 1996*. It shall be subject to Kolkata (Calcutta) Jurisdiction only.

- 9. The Central Purchase Committee, Indian Statistical Institute, Kolkata, reserves the right to cancel the tender at any time without assigning any reasons whatsoever thereof. While rejecting/recalling tenders, the authority must record clear, logical reasons for any such action on the file.**

**UNDERTAKING BY THE TENDERER
FOR
ACCEPTANCE OF TERMS AND CONDITIONS OF TENDER**

(On the letterhead of the Bidder)

Ref: e-Tender ID No: _____ **dated** _____

Date: _____

I/We undertake that I/we have carefully gone through the Notice Inviting Tender, other tender documents mentioned therein, and I/we will abide by them. We also agree to accept corrigendum/corrigenda that may be published in future. My/our tender is offered taking due consideration of all factors, and if the same is accepted, I/we promise to abide by the stipulation of the tender documents, and complete the work to the total satisfaction of the _____ <Name of the Indenting Unit/Section>, Indian Statistical Institute, Kolkata - 700108.

My/our offer will remain valid for 30 days from the date of opening of tender.

I/we further undertake that the information submitted in this tender is true and correct in all respects and I/we hold my/our responsibility for the same.

I/We also certify that the price being quoted is lower than Maximum Retail Price (MRP) / Original Equipment Manufacturer (OEM) Price, whichever is applicable.

I/we shall be responsible for rejection and/or cancellation of contract if the goods supplied are not up to the mark. I/we shall be liable for legal proceedings if the material supplied is found sub-standard or not in accordance with the specification published in the tender.

Signature of the Tenderer with seal & date

Name of the Tenderer:

Postal Address:

Mobile Number:

Landline Number:

Email ID: